

State of Alaska  
Department of Fish and Game  
Nomination for Waters  
Important to Anadromous Fish

ALASKA DEPT. OF  
FISH & GAME

OCT 13 1992

AWC Volume (SE) SC SW W AR IN USGS Quad Craig A-3 REGION II  
HABITAT DIVISION  
Anadromous Water Catalog Number of Waterway 103-25-10050-2007  
Name of Waterway none USGS name \_\_\_\_\_ Local name \_\_\_\_\_  
Addition X Deletion \_\_\_\_\_ Correction \_\_\_\_\_ Backup Information \_\_\_\_\_

For Office Use

Nomination # <u>93 058</u>	<u>Janal Shea</u> Regional Supervisor	<u>10-9-92</u> Date
Revision Year: _____	<u>Ed Weir</u>	<u>12/15/92</u>
Revision to: Atlas _____ Catalog _____	<u>Z. Krone</u>	<u>12/31/92</u>
Both <u>X</u>	Drafted	Date
Revision Code: <u>A-2</u>		

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Migration	Anadromous
coho salmon	4/30/92		X		Yes
Dolly Varden char	4/30/92		X		unknown

Provide any clarifying information, including number of fish observed, location of fish survey data, etc. Attach a copy of the fish survey data, if available. Attach a copy of a map showing location of mouth and upper points of each species, specific stream reaches identified for spawning or rearing, locations of barriers, such as falls.

Comments:

See attached field notes & inspection report. Lower portion route  
uncertain but believed reasonably accurate.

Name of Observer (please print) James D. Durst, Habitat Biologist  
Date: 10/5/92 Signature: James D. Durst  
Address: ADF&G Habitat Division  
P.O. Box 271, Klawock, AK 99925

Signature of Area Biologist:

Jack Gustafson

Rev. 12/91



CRAIG (A-3) QUADRANGLE

ALASKA


1:63 360 SERIES (TOPOGRAPHIC)

132° 40' W

65° 15' N

ADCK  
STREAM

103-25-10050-2007  
WITH COR





Thursday 30 April 1992

JD

Salty Creek Fish Trapping. w/ Ron Wolfe, Al Hunter

0700 - met @ Fireweed Lodge

drove out 100 Road, walked to end of ROW clearing, then downhill &amp; a bit E

started traps ~ 0930

2 traps above 48+53

1 trap above trail from N at 49+69; trail is high energy, gravel/cobble, 10% bottom 900'; looks steeper above that; Type C

2 traps below 49+96, above 54+33 trail

30 April (cont.)

pulled traps starting 1040

upper NF

nest: NF opposite str  
nest: 2 CO 42+87 limit

nest: 6 CO 1 DV

nest: 4 CO, 3 DV

inst line str 44+91

nest 7 CO

nest 2 CO 1 large DV

trail from N

nest: 5 CO

nest: 2 CO

52+88 last

trail enters from N at

54+33 ~ 10' wide by

mouth, 5' near "barrier"

soak bottom trap 1 CO (30')

time nest trap 2 CO

~ 45-60 min trap 1 CO

trap ~ 200' 1 CO, 1 DV



"fall line" and finally the gently sloping valley floor. The fall line was usually evidenced by a short stream reach of bedrock substrate, increased gradient, or some other combination of physical characteristics such as a drop or chute. It appeared that the fall line may often be the limit of anadromous fish use of the streams.

✓ Eastern sequence. A stream leaves the unit at about station 30+50, parallels the unit boundary until about station 36+70, then turns west into an old beaver dam system before flowing to Sallery Creek. Trapping (six baited minnow traps, the lower four of which captured coho salmon juveniles) and physical characteristics delimited the upper extent of anadromous habitat at about station 37+45, and it was appropriately flagged. We request directional felling and split line yarding away from these and all other surface waters to protect fish habitat water quality. Above this point, the stream is unclassified as far as it was examined. The small water bodies at stations 42+20 and about 44+70 are nonanadromous. A stream enters the unit at 48+66 and exits at about 45+15. Six traps were placed in this stream. The upper extent of anadromous habitat was flagged based on stream characteristics and capture of coho salmon juveniles, and is upstream of station 48+66 to my recollection. A nonanadromous stream within the unit encounters the unit boundary from stations 51+50 to 51+35 before hooking back into the unit. Three traps were placed in a stream which crosses the unit line at station 55+15. The upper extent of anadromous habitat was flagged about 100' within the unit based on capture of coho salmon juveniles and stream physical characteristics. The easternmost stream to cross the unit line south of the 100 Road crossing location is at station 64+32, about 200' upstream of where the stream enters the north fork of Sallery Creek. A total of 10 traps were placed in this stream and its two forks within the unit. The first branch enters from the north near the unit boundary. Its upper extent of Type A habitat is about 100' above the fork, and flagged. The main stream parallels the unit boundary to about station 61+00, then turns north as it forks again. The upper extent of Type A habitat is about 75' upstream of where it makes this turn. The second branch enters from the west, is Type A habitat for about 50', and so flagged. Numerous coho salmon fry were seen in pools of the north fork of Sallery Creek.

Western sequence. Most of these streams were above the fall line where they entered the unit, and Type C or unclassified water bodies. From station 0+00 to station 36+00, the only fish captured were Dolly Varden char, and several traps captured no fish in streams which appeared to contain habitat in the reaches trapped. Streams were trapped at stations 16+09, 19+10, 21+00 to 24+52, 26+25, 36+00, 31+95, 34+20 and 35+82. A stream is along most of the unit boundary from station 44+31 to station 55+49, with several

AWC Volume (SE) SC SW W AR IN USGS Quad Craig A-3 OCT 13 1992  
Anadromous Water Catalog Number of Waterway 103-25-10050 - various REGION II HABITAT DIVISION  
Name of Waterway Salty Creek System USGS name \_\_\_\_\_ Local name \_\_\_\_\_  
Addition X Deletion \_\_\_\_\_ Correction \_\_\_\_\_ Backup Information \_\_\_\_\_

For Office Use

Nomination # <u>93 055</u>	<u>Samal Shea</u> <u>10-9-92</u> Regional Supervisor Date
Revision Year: _____	
Revision to: Atlas _____ Catalog _____	
Both _____	
Revision Code: _____	Drafted _____ Date _____

OBSERVATION INFORMATION

Species	Date(s) Observed	Spawning	Rearing	Migration	Anadromous

Provide any clarifying information, including number of fish observed, location of fish survey data, etc. Attach a copy of the fish survey data, if available. Attach a copy of a map showing location of mouth and upper points of each species, specific stream reaches identified for spawning or rearing, locations of barriers, such as falls.

Comments:

Extensive baited minnow trapping and fry observation during several Forest Practices Inspections. See attached sheets for details.


Name of Observer (please print) James D. Durst, Habitat Biologist  
Date: 10/6/92 Signature: James D. Durst  
Address: ADF&G Habitat Division  
P.O. Box 271, Klawock, AK 99925

Signature of Area Biologist: Jack Anderson




CRAIG (A-3) QUADRANGLE  
ALASKA  
1:63,360 SERIES (TOPOGRAPHIC)

132°40' 10' CRAIG B-  
65°1'







Saltary Point  
SE-92-004

STATE AREA FORESTER  
KETCHIKAN  
MAY 18 1992  
RECEIVED

1" = 1000'

N. Fork Saltary Cr.  
# 103-25-1050 -

2015 updated map; UNIT 101  
5/14/92

